

Single Point Locking Handle for Aluminium Casement Windows – McCoy Bullet 20



Single Point Locking Handle for Aluminium Casement Windows – McCoy Bullet 20

Highlights:

- A single point Locking Handle for Outward and Inward opening Aluminium Casement Windows.
- Body made from ZAMAK, which is an alloy of Zinc, Aluminium, Magnesium and Copper, Zinc being the Base Metal. It is characterized by high Strength and Hardness and good Bearing properties.
- An aesthetically pleasing curved ZAMAK Body with a Thumb depression for enhanced looks and ergonomics.
- Inward curling of the Handle lever gives for easy gripping and ease of use with less effort.
- Available in White or Black Powder Coating finish.
- · Sleekly designed oval base with a width of 22 mm.
- The Length Handle Lever is 117 mm.

- Total Height of Handle is 51 mm.
- · Coating thickness of 90 Microns.
- Hook, Hook Packers, Handle Packers, Screw Caps for Handle and Hook, respectively, and 6 numbers Fixing Screws come as part of the standard packing.
- Hook Packers of thicknesses 1mm., 2mm., 3mm. and 4mm. are available with each packing.
- Handle Packers of varying thicknesses available in standard packing.
- 24x7Technical Support.
- · Guaranteed for 10 Years.
- Packing size 100 per box.





Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsability for the results obtained. In every case it is recommended to carry out preliminary experiments.












McCoy Soudal is proud to be associated with:







Feature	Advantage	Benefit
Ergonomic Design with Inward curling of the Handle lever	Less effort needed to operate even with multiple locking points	Easy to use for the user.
Coating Thickness of 90µm.	Good resistance to Corrosion.	Can be used in adverse weather conditions also.
ZAMAK body	Higher Strength and Hardness and Better Bearing properties.	Longer Service Life and less Wear and tear.
Hook Packers and Handle Packers of different thicknesses come with the standard packing.	A large range of Frame-Sash depth differences are covered.	Can be used with many different profiles.



Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsability for the results obtained. In every case it is recommended to carry out preliminary experiments.



(Facade & Fenestration Division) C-55, Okhla Industrial Area, Phase-1, New Delhi-110020 Tel: +91-11-40623344 | Fax: +91-11-40623355







McCoy Soudal is proud to be associated with:



A McCoy Group Company





WELCOME TO THE WORLD OF TECHNOLOGY

MCCOY PARTNER SELF SERVICE (PSS) APP



- Quick order
- Check order status
- Check account
- Loyalty rewards
- Product videos etc...

Download Now





Products available online on mccoymart.com

www.mccoy8m.in

(c) +91-8010434434

Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsability for the results obtained. In every case it is recommended to carry out preliminary experiments



(Facade & Fenestration Division) C-55, Okhla Industrial Area, Phase-1, New Delhi-110020 Tel: +91-11-40623344 | Fax: +91-11-40623355

info@mccoy8m.in | 8010-434-434 mccoygroup.in | mccoy8m.in











A McCoy Group Company

